

# Xerox® IJP900 Inkjet Press Tested Substrate List (TSL)

06-Jan-26

The TSL contains paper and specialty media that has been tested by Xerox Global Development Group. All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

### IJP900 Specifications:

- 52 to 360 gsm and sizes up to 13" x 19.2" (330.2 mm x 487.7 mm)
- Anything over 216 gsm must be evaluated for duplex runnability
- Plain or Inkjet-Treated Uncoated stocks
- Thickness £ .25 mm
- No carbonless media
- No synthetic media
- No coated media

### Tested Categories & Descriptions

- Runnability**
  - Feeds and stacks without shutdowns
  - Qualified through simplex and duplex paper path
- Ink Adhesion**
  - Side 1 and Side 2 dry evenly
  - Evaluated for Contamination
  - Coalescence (mottle)
- Image Quality**
  - Uniform results on both sides
  - Suited for applications with demanding color fidelity

- Key**
- Satisfactory Performance
  - Customer should validate the limitations are acceptable for their application
  - ⊖ Not Recommended

Source	Manufacturer or Merchant	Media Brand Name	Weight (#) lbs	gsm	Paper Type	Finish	Percent Recycled	Size Tested	Runnability	Ink Adhesion	Image Quality	Notes
Americas	Boise	X-9 Office Paper	20 bond	75	Plain	not applicable	0	Letter	○	●	○	Batches of this media have shown variable curl out of the ream. Check paper before attempting to print.
Americas	Boise	X-9 Office Paper	20 bond	75	Plain	not applicable	0	Legal	○	●	○	Batches of this media have shown variable curl out of the ream. Check paper before attempting to print.
Americas	Boise	X-9 Office Paper	20 bond	75	Plain	not applicable	0	11 x 17	○	●	○	Batches of this media have shown variable curl out of the ream. Check paper before attempting to print.
Americas	Boise	X-9 Office Paper	24 bond	90	Plain	not applicable	0	Letter	●	●	○	Batches of this media have shown variable curl out of the ream. Check paper before attempting to print.
Americas	Domtar	Husky Digital	50 text	74	Plain	Smooth	0	Letter	●	●	○	
Americas	Domtar	Husky Digital	50 text	74	Plain	Smooth	0	11 x 17	●	●	○	
Americas	Domtar	Husky Digital	50 text	74	Plain	Smooth	0	12 x 18	●	●	○	
Americas	Domtar	Husky Digital	60 text	89	Plain	Smooth	0	11 x 17	●	●	○	
Americas	Domtar	Husky Digital	60 text	89	Plain	Smooth	0	Letter	●	●	○	
Americas	Domtar	Husky Digital	60 text	89	Plain	Smooth	0	12 x 18	●	●	○	

Americas	Domtar	Husky Digital	60 text	89	Plain	Smooth	0	Letter	●	●	○	
Americas	Domtar	Husky Digital	60 text	89	Plain	Smooth	0	12 x 18	●	●	○	
Americas	Domtar	Lettermark Copy Paper 3 Hole Punch	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	○	Recommended to run from the high capacity vacuum feeder trays only.
Americas	Domtar	Lettermark Copy Perforated 8824	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	○	Recommended to run from the high capacity vacuum feeder trays only. Perforated every 3 2/3". Run LEF.
Americas	Domtar	Lettermark Copy Perforated 8822	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	○	Recommended to run from the high capacity vacuum feeder trays only. Peforation 3 1/2" from bottom. Run LEF.
Americas	Domtar	Lettermark Copy Perforated 8821	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	○	Recommended to run from the high capacity vacuum feeder trays only. Peforation 3 2/3" from bottom. Run LEF.
Americas	Domtar	Lettermark Copy Paper	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	LynxJet	50 text	74	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	LynxJet	50 text	74	Inkjet Treated	Smooth	0	11 x 17	●	●	●	
Americas	Domtar	LynxJet	70 text	104	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	LynxJet	70 text	104	Inkjet Treated	Smooth	0	12 x 18	●	●	●	
Americas	Domtar	LynxJet	70 text	104	Inkjet Treated	Smooth	0	11 x 17	●	●	●	
Americas	Domtar	LynxJet	60 text	89	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	LynxJet	60 text	89	Inkjet Treated	Smooth	0	12 x 18	●	●	●	
Americas	Domtar	LynxJet 7 pt	84 text	125	Inkjet Treated	Smooth	0	12 x 18	●	●	●	
Americas	Domtar	LynxJet 9 pt	99 text	147	Inkjet Treated	Smooth	0	12 x 18	●	●	●	Discontinued size - may still be available in merchant inventory.
Americas	Domtar	Xerox Bold Digital	24 bond	90	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	Xerox Bold Digital	24 bond	90	Inkjet Treated	Smooth	0	Legal	●	●	●	
Americas	Domtar	Xerox Bold Digital	24 bond	90	Inkjet Treated	Smooth	0	11 x 17	●	●	●	
Americas	Domtar	Xerox Bold Digital	28 bond	105	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	Xerox Bold Digital	28 bond	105	Inkjet Treated	Smooth	0	11 x 17	●	●	●	

Americas	Domtar	Xerox Bold Digital	28 bond	105	Inkjet Treated	Smooth	0	12 x 18	●	●	●	
Americas	Domtar	Xerox Bold Digital	32 bond	120	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Domtar	Xerox Bold Digital	32 bond	120	Inkjet Treated	Smooth	0	12 x 18	●	●	●	
Americas	Domtar	Xerox Bold Digital	80 cover	216	Inkjet Treated	Smooth	0	12 x 18	●	●	○	Not recommended for high area coverage applications - ink offsetting can occur.
Americas	Domtar	Xerox Bold Digital	100 cover	270	Inkjet Treated	Smooth	0	12 x 18	●	⊘	○	Not recommended for high area coverage applications - ink offsetting can occur. Inconsistent duplex performance.
Americas	Domtar	Xerox Vitality	20 bond	75	Inkjet Treated	Smooth	0	Legal	●	●	●	
Americas	Domtar	Xerox Vitality	20 bond	75	Inkjet Treated	Smooth	0	11 x 17	●	●	●	
Americas	Domtar	Xerox Vitality	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	●	
Americas	Sustana	Enviro Copy	20 bond	75	Plain	Smooth	100	Letter	●	●	○	Run from high capacity vacuum trays only. Customers may need to establish extra head cleaning and paper path frequency, depending on volumes run.
Americas	Sustana	Enviro Print	80 text	118	Plain	Smooth	100	12 x 18	●	●	○	Run from high capacity vacuum trays only. Customers may need to establish extra head cleaning and paper path frequency, depending on volumes run.
Americas	Sustana	Enviro Book Natural	55 text	80	Plain	Antique	100	11 x 17	●	●	○	Run from high capacity vacuum trays only. Customers may need to establish extra head cleaning and paper path frequency, depending on volumes run.
Americas	Sylvamo	Accent Opaque Smooth	70 text	104	Plain	Smooth	0	12 x 18	●	●	○	
Americas	Sylvamo	Accent Opaque Smooth	60 text	90	Plain	Smooth	0	12 x 18	●	●	○	
Americas	Sylvamo	Accent Opaque Super Smooth ImageLok	60 text	89	Inkjet Treated	Super Smooth	0	12 x 18	●	●	●	May not be available through merchants - contact Sylvamo directly to review stocking programs.
Americas	Sylvamo	Accent Opaque Super Smooth ImageLok	70 text	104	Inkjet Treated	Super Smooth	0	12 x 18	●	●	●	May not be available through merchants - contact Sylvamo directly to review stocking programs.
Americas	Sylvamo	Accent Opaque Smooth	80 cover	216	Plain	Smooth	0	12 x 18	●	●	○	
Americas	Sylvamo	Accent Opaque Super Smooth	70 text	104	Plain	Super Smooth	0	12 x 18	●	●	○	
Americas	Sylvamo	Accent Opaque Super Smooth (12 pt)	100 cover	270	Plain	Super Smooth	0	18 x 12	○	●	○	Duplex performance should be validated with customer applications prior to production.

Americas	Sylvamo	Hammermill Copy 3 Hole Punch	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	●
Americas	Sylvamo	Hammermill Premium Color Copy	28 bond	105	Plain	Super Smooth	0	11 x 17	●	●	○
Americas	The Navigator Company	Navigator Premium Multipurpose	24 bond	90	Plain	Smooth	0	Letter	●	●	○
Worldwide	The Navigator Company	Navigator Platinum	20 bond	75	Inkjet Treated	Smooth	0	Letter	●	●	●
Worldwide	The Navigator Company	Navigator Platinum	20 bond	75	Inkjet Treated	Smooth	0	11 x 17	●	●	●
Worldwide	The Navigator Company	Navigator Platinum	24 bond	90	Inkjet Treated	Smooth	0	11 x 17	●	●	●
Worldwide	The Navigator Company	Navigator Universal		80	Plain	Smooth	0	A4	●	●	○
Worldwide	The Navigator Company	Navigator Platinum	24 bond	90	Inkjet Treated	Smooth	0	Letter	●	●	●