

Xerox® Baltoro™ HF Production Inkjet Press Tested Substrate List (TSL) for Pre Sale

7/22/2021

The TSL contains paper and specialty media that has been tested by Xerox Global Development Group.
All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

Baltoro Approved Papers (Single Dryer Configuration)

Plain and Inkjet Treated:
16lb Bond (60 gsm) to 100 lb Cover (270 gsm)

Coated Stocks:
61 lb (90 gsm) to 100lb (148 gsm)

Thickness ≤ .30 mm

- Key**
- Satisfactory Performance
 - Customer should validate the limitations are acceptable for their application
 - Not Recommended

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
1	Europe		Antalis	Buisness		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
2	Europe		Antalis	Cocoon Jet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Speed	No
3	Europe		Antalis	CoCoon PrePrint		90	Plain	not specified	Untreated Uncoated	100	A4	Optimized for Speed	No
4	Europe		Antalis	Cyclus PrePrint		90	Plain	not specified	Untreated Uncoated	100	A4	Optimized for Speed	No
5	Europe		Antalis	Data Copy Express Yourself!		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
6	Europe		Antalis	Edixion Offset		80	Plain	not specified	Untreated Uncoated	0	270 mm x 350 mm	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
7	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
8	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
9	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
10	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
11	Europe		Antalis	Image Digicolor		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
12	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
13	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
14	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
15	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Color	No
16	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
17	Europe	NEW	Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
18	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
19	Europe		Antalis	Image Digicolor (*see notes)		280	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
20	Europe	NEW	Antalis	Image Indigo		100	Plain	not specified	Untreated Uncoated	0	SRA3+	Optimized for Speed	No
21	Europe		Antalis	Novatech Digital Silk		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
22	Europe		Antalis	Novatech Digital Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Speed	Yes
23	Europe		Antalis	Novatech Digital Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Speed	Yes
24	Europe		Antalis	Novatech Matte		100	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Speed	Yes
25	Europe	NEW	Antalis	Novatech Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
26	Europe		Antalis	Olin Regular Absolute White		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
27	Europe		Antalis	Printspeed Offset		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Color	No
28	North America	NEW	Appvion	Superior Carbonless 2 -Part Reverse PN 5789		79	Carbonless	not specified	Inkjet Treated Uncoated		9x11	Optimized for Color	No
29	North America	NEW	Appvion	Superior Carbonless 2-Part Reverse PN 5891		79	Carbonless	not specified	Inkjet Treated Uncoated		8.5 x 11	Optimized for Color	No
30	North America	NEW	Appvion	Superior Carbonless 3-Part Reverse PN 5900		79	Carbonless	not specified	Inkjet Treated Uncoated		8.5 x 11	Optimized for Color	No
31	North America	NEW	Appvion	Superior Carbonless 4-Part Straight PN 5925		79	Carbonless	not specified	Inkjet Treated Uncoated		8.5 x 11	Optimized for Color	No
32	North America		Appvion	Triumph Universal	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
33	Europe		Arctic	G-Print		100	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
34	North America		Boise	Aspen30	20B	75	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
35	North America		Boise	Polaris Premium Multipurpose	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
36	North America		Boise	Polaris Premium Multipurpose	28B	105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
37	North America	NEW	Boise	X-9	20B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Color	No
38	North America		Boise	X-9	24B	90	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
39	Europe	NEW	Burgo	R4 Chorus Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
40	Europe		Clairefontaine	Clairalfa		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
41	Europe		Clairefontaine	Clairejet 400		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
42	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
43	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
44	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
45	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
46	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
47	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
48	Europe		Clairefontaine	Digital Copy Print		200	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
49	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
50	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
51	Europe		Clairefontaine	Eminent		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No



	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
52	Europe		Clairefontaine	evercopy plus		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Speed	No
53	Europe		Clairefontaine	evercopy premium		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Speed	No
54	europe	NEW	Clairefontaine	Everprint White		110	Plain	not specified	Untreated Uncoated	100	SRA3	Optimized for Speed	No
55	Europe	NEW	Clairefontaine	Everprint White		150	Plain	not specified	Untreated Uncoated	100	SRA3	Optimized for Speed	No
56	Europe		Clairefontaine	Laser 2800		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
57	Europe		Clairefontaine	Trophee Green		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
58	Europe		Clairefontaine	Trophee Orange PN 1769		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
59	Europe		Clairefontaine	Trophee Rose		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
60	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
61	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
62	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
63	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
64	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 120 Label 8 Up Label Size 4.25" x 2.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
65	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 125 Label 4 Up Label Size 4" x 5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
66	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 130 Label 6 Up Label Size 8" x 1.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
67	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 135 Label 6 Up Label Size 4" x 3.33"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
68	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 140 Label 8 Up Label Size 8" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
69	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 150 RC Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
70	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 155 Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
71	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 180 Label 2 Up Label Size 6.75" x 4.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
72	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
73	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
74	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
75	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
76	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
77	North America		CTP Solutions	CTP/InkjetMediaSolutions FS 145 Label 10 Up Label Size 4" x 2"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
78	North America		CTP Solutions	DocuCopy ID Cards 90# White Index FoldOver Inkjet Style	90 Index	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
79	North America		CTP Solutions	PSDBPCD - Double Post Card - No Window	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
80	North America		CTP Solutions	PSEMPV Pressure Seal V-fold	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
81	North America		CTP Solutions	PSEPRBC-TB Double TransVue Window	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
82	North America		CTP Solutions	PSEPRZ - Blank - Security Grade Check Stock	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
83	North America		CTP Solutions	PSF2W - Return Envelope	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
84	North America		CTP Solutions	PSFPRL - Double Parallel Fold	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
85	WW		CVG	LetsGo Bright Matte	61T	90	Inkjet Coated	Matte	Inkjet Treated Matte Coated	0	12 x 18	Optimized for Color	Yes
86	WW		CVG	LetsGo Bright Silk	61T	90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	12 x 18	Optimized for Color	Yes
87	WW		CVG	LetsGo Bright Silk	61T	90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
88	WW	NEW	CVG	Letsgo Bright Silk		115	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
89	WW	NEW	CVG	Letsgo Bright Silk		170	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
90	WW	NEW	CVG	Letsgo Bright Silk		235	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
91	WW	NEW	CVG	Letsgo High Performance		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
92	WW	NEW	CVG	Letsgo High Performance		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
93	WW	NEW	CVG	Letsgo High Performance		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
94	WW	NEW	CVG	Letsgo Matte		90	Inkjet Coated	Matte	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
95	WW	NEW	CVG	Letsgo Matte		90	Inkjet Coated	Matte	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
96	WW	NEW	CVG	Letsgo Silk		70	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
97	WW	NEW	CVG	Letsgo Silk		90	Inkjet Coated	Silk	Inkjet Treated Matte Coated	0	SRA3	Optimized for Color	Yes
98	WW	NEW	CVG	Letsgo Universal		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
99	WW		CVG	Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Color	No



	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
100	WW		CVG	Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
101	North America		Domtar	Cougar Digital Choice Color Copy Super Smooth PN 3180	24B	90	Plain	Super Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
102	North America		Domtar	Cougar Digital Color Copy Super Smooth PN 2707	60T	90	Plain	Super Smooth	Untreated Uncoated	0	13 x 19	Optimized for Speed	No
103	North America		Domtar	Cougar Digital Opaque Offset Smooth PN 3390	60T	90	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
104	North America		Domtar	Cougar Digital Opaque Offset Smooth PN 3391	70T	105	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
105	North America		Domtar	Cougar Digital Smooth PN 2223	24B	90	Plain	Smooth	Untreated Uncoated	0	13 x 19	Optimized for Speed	No
106	North America		Domtar	Cougar Digital Smooth PN 2834	24B	90	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
107	North America		Domtar	Cougar Opaque Smooth	50T	75	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
108	North America		Domtar	Cougar Super Smooth PN 2706	60T	90	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
109	North America		Domtar	Cougar Super Smooth PN 2744	70T	104	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
110	North America		Domtar	Cougar Super Smooth PN 2754	80T	118	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
111	North America		Domtar	Cougar Super Smooth PN 2768	80C	216	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
112	North America		Domtar	Cougar Super Smooth PN 2772	100C	270	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
113	North America		Domtar	DomtarCopy	20B	75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
114	North America		Domtar	Earth Choice Ivory Vellum Opaque PN 81062	60T	90	Plain	Vellum	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
115	North America		Domtar	Husky Copy	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
116	North America		Domtar	Husky Digital Opaque PN 2172	60T	90	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
117	North America		Domtar	Husky Digital Opaque PN 2173	70T	105	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
118	North America		Domtar	Husky Digital Opaque PN 5462	60T	90	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
119	North America		Domtar	Husky Opaque Offset	70T	104	Plain	not specified	Untreated Uncoated	0	14 x 19	Optimized for Speed	No
120	North America		Domtar	Husky Recycled Digital PN 9268	60T	90	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
121	North America		Domtar	LeafJET	60T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
122	North America	NEW	Domtar	Lettermark PN3970	50T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
123	North America	NEW	Domtar	Lettermark PN3972	50T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
124	North America	NEW	Domtar	Lettermark PN3973	50T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
125	North America	NEW	Domtar	Lettermark PN3976	60T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
126	North America	NEW	Domtar	Lettermark PN3977	60T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
127	North America		Domtar	Lynx Digital Opaque PN 639633	80T	120	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
128	North America	NEW	Domtar	Lynx Digital Opaque PN 639634	100T	148	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
129	North America		Domtar	Lynx Digital Opaque PN 639637	100C	270	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
130	North America		Domtar	Lynx Digital PN 630400	60T	90	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
131	North America		Domtar	Lynx Digital PN 630700	60T	90	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
132	North America		Domtar	Lynx Digital PN 630800	70T	104	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
133	North America	NEW	Domtar	Lynx Digital PN 639829	80C	216	Plain	Smooth	Untreated Uncoated	0	19 x 13	Optimized for Speed	No
134	North America		Domtar	Lynx Digital Satin (previously GraphicJET)	24B	90	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
135	North America		Domtar	LynxJET (previously VividJET 24 lb)	60T	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
136	North America		Domtar	LynxJET (previously VividJET 28 lb)	70T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
137	North America		Domtar	LynxJET 7 POINT PN 5267		125	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
138	North America		Domtar	LynxJET 9 POINT PN 5268		147	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
139	North America		Domtar	LynxJET PN 600952	60T	89	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
140	North America		Domtar	LynxJET PN 600955	70T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
141	North America		Domtar	WillCopy	20B	75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
142	North America		Domtar	WillCopy Custom Cuts 1 Perf at 3 2/3 inches PN 851032	20B	75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
143	Europe		Double A	Double A Color Print		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
144	Europe		Double A	Premium		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
145	Europe		Drewsen	CBS1		95	Security	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
146	Europe		Drewsen	ProCopy		200	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
147	Europe		Drewsen	Watermarked Security Paper		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
148	Europe	NEW	Fedrigoni	Splendorgel Extra White		100	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Speed	No
149	Europe	NEW	Fedrigoni	Splendorgel Extra White		115	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Speed	No
150	Europe	NEW	Fedrigoni	Splendorgel Extra White		150	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
151	Europe	NEW	Fedrigoni	Splendorgel Extra White		160	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
152	Europe	NEW	Fedrigoni	Splendorgel Extra White		190	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
153	Europe	NEW	Fedrigoni	Splendorgel Extra White		230	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
154	Europe	NEW	Fedrigoni	Splendorgel Extra White		270	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
155	Europe	NEW	Fedrigoni	Splendorgel Extra White		300	Plain	Super Smooth	Untreated Uncoated	0	SRA3	Optimized for Color	No
156	Europe		Fedrigoni	Symbol Freelifa Satin		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
157	North America	NEW	Finch	Finch 94	60T	90	Plain	not specified	Untreated Uncoated	0	12.25 x 18.25	Optimized for Speed	No
158	North America		Finch	Opaque Digital Bright White PN 1008-6015	60T	89	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
159	North America		Finch	Opaque Digital Bright White PN 1008-7015	70T	104	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
160	North America		Finch	Opaque Digital Bright White PN 1008-8015	80T	118	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
161	North America		Finch	Opaque Digital Bright White PN 2508-8017	80C	216	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Color	No
162	North America		Finch	Opaque Digital Bright White PN 2508-0017	100C	270	Plain	not specified	Untreated Uncoated	0	12 x 18	Optimized for Color	No
163	North America		Finch	Smartbook Jet Text	70T	105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	13 x 19	Optimized for Speed	No
164	North America		GPA	Dry Toner 50# White Uncoated Permanent 10-up Labels	60T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
165	Europe		GPA	Dry Toner X White Satin	70T	105	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
166	Europe		GPA	Dry Toner X White Satin	80T	118	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
167	Europe		GPA	Dry Toner X White Satin	100T	148	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
168	North America		GPA	Dry Toner 60# Offset White / Permanent Adhesive / 80# U-Split Liner		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
169	Europe		Hadera	CopyKal Business		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
170	Europe		Hadera	Digital Word Elenfer C2S Art Paper		128	Coated	Silk	Inkjet Treated Uncoated	0	350mm x 500mm	Optimized for Color	Yes

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
171	Europe		Hadera	Hadera Top		170	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
172	North America	NEW	Huge Papers	Nice Art Silk	80T	118	Coated	Silk	Untreated Matte Coated	10	12 x 18	Optimized for Color	Yes
173	Europe		Igepa	Igepa Soporset Premium Offset		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
174	Europe		Igepa	Igepa Soporset Premium Offset		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	320 mm x 432 mm	Optimized for Speed	No
175	North America		Impact	High Tech Xeroxgraphic	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
176	North America		Impact	Xerographic	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
177	Europe		Inapa	Pro Laser		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
178	Europe		Inapa	Tecno MultiSpeed		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
179	North America		InfoSeal	InfoSeal FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
180	North America		InfoSeal	InfoSeal FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
181	North America		InfoSeal	InfoSeal FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
182	North America		InfoSeal	InfoSeal FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
183	North America		InfoSeal	InfoSeal FS 120 Label 8 Up Label Size 4.25" x 2.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
184	North America		InfoSeal	InfoSeal FS 125 Label 4 Up Label Size 4" x 5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
185	North America		InfoSeal	InfoSeal FS 130 Label 6 Up Label Size 8" x 1.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
186	North America		InfoSeal	InfoSeal FS 135 Label 6 Up Label Size 4" x 3.33"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
187	North America		InfoSeal	InfoSeal FS 140 Label 8 Up Label Size 8" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
188	North America		InfoSeal	InfoSeal FS 145 Label 10 Up Label Size 4" x 2"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
189	North America		InfoSeal	InfoSeal FS 150 RC Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
190	North America		InfoSeal	InfoSeal FS 155 Label 4 Up Label Size 4" x 6"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
191	North America		InfoSeal	InfoSeal FS 180 Label 2 Up Label Size 6.75" x 4.75"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
192	North America		InfoSeal	InfoSeal FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
193	North America		InfoSeal	InfoSeal FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
194	North America		InfoSeal	InfoSeal FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
195	North America		InfoSeal	InfoSeal FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
196	North America		InfoSeal	InfoSeal FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
197	North America		InfoSeal	PSDBPCD - Double Post Card - No Window	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
198	North America		InfoSeal	PSEMPV Pressure Seal V-fold	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
199	North America		InfoSeal	PSEPRBC-TB Double TransVue Window	28B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
200	North America		InfoSeal	PSEPRZ - Blank - Security Grade Check Stock	24B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
201	North America		InfoSeal	PSF2W - Return Envelope	24B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No
202	North America		InfoSeal	PSFPRL - Double Parallel Fold	24B	105	Pressure Seal	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
203	North America	NEW	Innovative	Innovative UNV21200	50T	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Color	No
204	North America		International Paper	Accent Opaque Digital SuperSmooth with ImageLok	70T	104	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
205	North America		International Paper	Accent Opaque Digital SuperSmooth with ImageLok	80T	118	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
206	North America		International Paper	Accent Opaque Digital SuperSmooth with ImageLok PN 17110	60T	89	Inkjet Treated	Super Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
207	North America		International Paper	Accent Opaque Digital with ColorPro	70T	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
208	North America		International Paper	Accent Opaque Digital with ImageLok PN 288084	70T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
209	North America		International Paper	Accent Opaque Plain	60T	90	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
210	North America		International Paper	Accent Opaque Plain	80T	120	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
211	North America		International Paper	Accent Opaque Super Smooth	65C	176	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
212	North America		International Paper	Accent Opaque Super Smooth	80C	216	Plain	Super Smooth	Untreated Uncoated	0	12 x 18	Optimized for Color	No
213	North America		International Paper	Accent Opaque Text White Smooth	70T	104	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
214	North America		International Paper	Accent Opaque Text White Smooth	80T	118	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
215	North America		International Paper	Accent Opaque with ImageLok	70T	104	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
216	North America		International Paper	Accent Opaque with ImageLok Smooth PN 288083	60T	89	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
217	North America	NEW	International Paper	Hammermill Copy Plus PN 105023	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
218	North America	NEW	International Paper	Hammermill 3-hole PN105031	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
219	North America	NEW	International Paper	Hammermill Fore MultiPurpose 24lb	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
220	North America	NEW	International Paper	Hammermill Premium ColorCopy 28 lb	28B	105	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
221	WW		International Paper	JetStar	60T	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
222	WW		International Paper	JetStar		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
223	Europe		International Paper	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
224	Europe		International Paper	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
225	Europe		International Paper	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
226	Europe		International Paper	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
227	Europe		International Paper	PRO-DESIGN		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
228	Europe		International Paper	PRO-DESIGN		160	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
229	Europe		International Paper	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
230	Europe		International Paper	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
231	Europe		International Paper	PRO-DESIGN		250	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
232	North America		International Paper	Relay MP	20B	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
233	Europe		International Paper	Rey Adagio Blue		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
234	Europe		International Paper	Rey Adagio Blue		160	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
235	Europe		International Paper	Rey Adagio Canary		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
236	Europe		International Paper	Rey Adagio Gray		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
237	Europe		International Paper	Rey Adagio Green		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
238	Europe		International Paper	Rey Adagio Intense Blue		160	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
239	Europe		International Paper	Rey Adagio Intense Orange		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
240	Europe		International Paper	Rey Adagio Intense Red		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
241	Europe		International Paper	Rey Adagio Intense Red		160	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
242	Europe		International Paper	Rey Adagio Ivory		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
243	Europe		International Paper	Rey Adagio Pink		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
244	Europe		International Paper	Rey Adagio Purple Lilac		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
245	Europe		International Paper	Rey Adagio Salmon		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
246	Europe		International Paper	Rey Office		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No



	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
247	North America		International Paper	Springhill Digital Opaque Offset Cream	60T	90	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
248	North America		International Paper	Williamsburg Plus Offset Smooth PN 05306	60T	89	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
249	North America		International Paper	Williamsburg Plus Offset Smooth PN 05324	60T	89	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
250	North America		International Paper	Williamsburg Plus Offset Smooth PN 05335	70T	104	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
251	Europe		Lecta	Condat Digital Silk		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
252	Europe		Lecta	Condat Digital Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
253	Europe		Lecta	Condat Digital Silk		135	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
254	Europe		Lecta	Condat Digital Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
255	Europe		Lecta	Condat Essential Silk		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
256	Europe		Lecta	Coral Book Ivory		90	Plain	not specified	Untreated Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
257	Europe		Lecta	Coral Book White		100	Plain	not specified	Untreated Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
258	North America		Lecta	Digital Creator	100T	148	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
259	Europe		Lecta	Garda Satin		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
260	Europe		Lecta	Gardamatt Art		90	Coated	Matte	Untreated Matte Coated	0	350 mm x 500 mm	Optimized for Color	Yes
261	Europe		Lecta	Gardamatt Digital		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
262	Europe		Lessebo	Scandia 2000		130	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Color	No
263	North America		Made in the USA	Xerographic Copy Paper	20B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
264	North America		Mitsubishi	Value InkJet	60T	90	Inkjet Treated	Matte	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
265	North America		Mohawk	Color Copy 100% Recycled	28B	104	Plain	Smooth	Untreated Uncoated	100	12 x 18	Optimized for Speed	No
266	North America		Mohawk	Color Copy 100% Recycled	80C	216	Plain	not specified	Untreated Uncoated	100	11 x 17	Optimized for Speed	No
267	North America		Mohawk	Color Copy 100% Recycled	80C	216	Plain	not specified	Untreated Uncoated	100	12 x 18	Optimized for Speed	No
268	North America		Mohawk	ViaLinen Warm White 30% pcw PN 144015	24B	90	Inkjet Treated	Linen	Inkjet Treated Uncoated	30	8.5 x 11	Optimized for Color	No
269	Europe		Mondi	Bio Top 3next		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
270	Europe		Mondi	Bio Top 3next		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
271	Europe		Mondi	Bio Top HSI		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
272	Europe		Mondi	ColorCopy		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
273	Europe		Mondi	ColorCopy		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
274	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
275	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
276	Europe		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
277	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
278	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
279	Europe		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
280	Europe		Mondi	DNS Premium		60	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
281	Europe		Mondi	DNS Premium		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
282	Europe		Mondi	IQ Smooth		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
283	Europe		Mondi	Nautilus Classic		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Color	No
284	Europe		Mondi	Nautilus Super White HSI		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	A4	Optimized for Color	No
285	Europe		Mondi	Neujet Matte		135	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	297mm x 445mm	Optimized for Color	No
286	Europe		Mondi	Neujet Silk Book White		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
287	Europe	NEW	Mondi	Perigraphica		100	Plain	not specified	Untreated Uncoated	100	SRA3	Optimized for Speed	No
288	Europe		Mondi	Premium IQ	n/a	80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
289	North America		Neenah	Acrtic White Wove	24B	90	Plain	Wove	Untreated Uncoated	30	11.25 x 17.25	Optimized for Speed	No
290	Europe		Papier Union	Fly Snowwhite		115	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
291	Europe		Papyrus	Arctic Volume White 1.12		150	Coated	Matte	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
292	Europe		Papyrus	MultiBusiness PN 88156562		260	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
293	Europe		Papyrus	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
294	Europe		Papyrus	PlanoJet		89	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
295	North America		Performance Paper	PerfectLok	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	17 x 11	Optimized for Speed	No
296	North America		Pixelle	Enhanced Hi Brite 7 Point	100T	148	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
297	North America		Pixelle	ExcelOne 2 Part Reverse pn 230949		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
298	North America	NEW	Pixelle	ExcelOne 3 Part Reverse pn 231585		80	Carbonless	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Color	No
299	North America		Pixelle	Pixelle Enhanced HiBright	20B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
300	North America		Pixelle	Pixelle Enhanced HiBright PN 229909	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
301	North America		Pixelle	Pixelle Enhanced HiBright PN 232319	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
302	North America		Pixelle	Pixelle Enhanced HiBrite	20B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
303	North America		Pixelle	Pixelle Enhanced PN 229987	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
304	North America		Pixelle	Pixelle Enhanced PN 232556	20B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
305	North America		Pixelle	Pixelle Enhanced PN 232558	20B	74	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
306	North America		Pixelle	Pixelle Enhanced PN 232764	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
307	Europe		Premier	Elements Fire		80	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
308	Europe		Premier	Elements Fire		250	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Color	No
309	Europe		Premier Paper	Essential Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
310	South America		Propal	Reprograf Blanco		75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
311	South America		Propal	Reprograf Natural		72	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
312	North America		Resolute	Connect	50T	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Color	No
313	North America		Rolland	Enviro Digital PN 5654	60T	90	Plain	not specified	Untreated Uncoated	100	8.5 x 11	Optimized for Speed	No
314	North America		Rolland	Enviro Digital PN 5656	60T	90	Plain	not specified	Untreated Uncoated	100	12 x 18	Optimized for Speed	No
315	North America		Rolland	Enviro Digital PN 58561	80C	216	Plain	not specified	Untreated Uncoated	100	13 x 19	Optimized for Speed	No
316	North America		Rolland	Enviro Jet 140M		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	12 x 18	Optimized for Speed	No
317	North America		Rolland	Enviro Jet PN 58153	50T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	8.5 x 11	Optimized for Speed	No
318	North America		Rolland	Enviro Jet PN 62230	45T	67	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	8.5 x 11	Optimized for Speed	No
319	North America		Rolland	Enviro Print PN 5619	80C	216	Plain	not specified	Untreated Uncoated	100	13 x 19	Optimized for Speed	No
320	North America		Rolland	HiTech	60T	90	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
321	North America		Rolland	HiTech	70T	104	Plain	not specified	Untreated Uncoated	30	11.5 x 17.5	Optimized for Speed	No
322	North America		Rolland	HiTech	70T	104	Plain	not specified	Untreated Uncoated	30	13 x 19	Optimized for Speed	No
323	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	50T	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	100	8.5 x 11	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
324	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	30	8.5 x 11	Optimized for Color	No
325	Europe		Sappi	EBB Gallerie Art Satin		90	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
326	Europe		Sappi	EBB Gallerie Art Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
327	Europe		Sappi	EBB Gallerie Art Satin		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
328	Europe		Sappi	EBB Gallerie Art Satin		135	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
329	Europe		Sappi	EBB Gallerie Art Satin		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
330	North America		Sappi	Euro Art Plus	80T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
331	North America		Sappi	Euro Art Plus	100T	148	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
332	North America		Sappi	Flo Dull Digital PN K11964	100T	148	Coated	Dull	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
333	North America	NEW	Sappi	Flo Dull Digital PN K11964	100T	148	Coated	Dull	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
334	North America		Sappi	Flo Dull Digital PN K11971	80T	118	Coated	Dull	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes
335	Europe		Sappi	Gallerie Art Silk		90	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
336	Europe		Sappi	Gallerie Art Silk		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
337	Europe		Sappi	Gallerie Art Silk		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
338	Europe		Sappi	Gallerie Art Silk		135	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
339	Europe		Sappi	Gallerie Art Silk		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
340	Europe	NEW	Sappi	Magno Matte 115		115	Coated	Matte	Untreated Matte Coated	0	A4	Optimized for Color	Yes
341	Europe		Sappi	Magno Satin		90	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
342	Europe		Sappi	Magno Satin		115	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
343	Europe		Sappi	Magno Satin		130	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
344	Europe		Sappi	Magno Satin		135	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
345	Europe		Sappi	Magno Satin		150	Coated	Satin	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
346	North America		Sappi	McCoy Silk	80T	118	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
347	North America		Sappi	Opus Dull PN 13655	100T	148	Coated	Dull	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes
348	South America		Sappi	Quatro Plus		90	Coated	Silk	Untreated Matte Coated	0	11 x 17	Optimized for Color	Yes
349	North America		Southern Index	1-up ID Card 7 mil Better Card PN 4B1180 Laminated perf	60C	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
350	North America		Southern Index	1-up ID Card PN 4B1146 Paper Inkjet Laminated perf	60C	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
351	North America		Southern Index	2-up ID Card PN 4B1140 Paper Inkjet Laminated perf	60C	140	ID Card	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
352	North America		Spicers	Kelly Copy PN 11037A	20B	75	Plain	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
353	North America		Spicers	Pacesetter Silk	80T	120	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
354	North America		Spicers	Pacesetter Silk	80T	120	Coated	Silk	Untreated Matte Coated	0	8.5 x 11	Optimized for Color	Yes
355	North America	NEW	Spicers	Supreme Digital Silk Text 80T	80T	118	Coated	Silk	Untreated Matte Coated	0	12 X 18	Optimized for Color	Yes
356	North America		Staples	Staples 30% Recycled Copy Paper	20B	75	Plain	not specified	Untreated Uncoated	30	8.5 x 11	Optimized for Speed	No
357	Europe		Stora Enso	BergaJet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
358	Europe		Stora Enso	BergaJet		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
359	Europe		Stora Enso	Canon Red Label Superior		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
360	Europe		Stora Enso	Lumi Plus		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
361	Europe		Stora Enso	Plano Dynamic		75	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
362	Europe		Stora Enso	Plano Plus		90	Plain	not specified	Untreated Uncoated	0	A3	Optimized for Speed	No
363	Europe		Stora Enso	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
364	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
365	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
366	Europe		Stora Enso	Superior Jet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
367	North America		Supreme	Supreme HiBright Copy Paper	20B	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
368	South America		Suzano	Artwork Premium Multipurpose Business Paper		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
369	South America		Suzano	Fit Silk		90	Coated	Silk	Untreated Matte Coated	0	A4	Optimized for Color	Yes
370	WW		the Navigator Company	EcoLogical		75	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
371	WW		the Navigator Company	Hard Cover PN 989460		250	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
372	Europe		the Navigator Company	Inacopia Elite		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
373	WW		the Navigator Company	INASET Laser Plus		160	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
374	WW		the Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
375	WW		the Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
376	WW		the Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
377	WW		the Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
378	WW		the Navigator Company	Navigator Bold Design		200	Plain	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
379	WW		the Navigator Company	Navigator Colour Documents UHD		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
380	WW		the Navigator Company	Navigator Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
381	WW		the Navigator Company	Navigator Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
382	WW		the Navigator Company	Navigator Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
383	WW		the Navigator Company	Navigator Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
384	WW		the Navigator Company	Navigator Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
385	WW		the Navigator Company	Navigator Office Card		160	Plain	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
386	North America		the Navigator Company	Navigator Platinum UHD	20B	74	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
387	WW		the Navigator Company	Navigator Platinum UHD	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Color	No
388	WW		the Navigator Company	Navigator Platinum UHD	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
389	North America		the Navigator Company	Navigator Premium Multipurpose	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
390	WW		the Navigator Company	Navigator PrePrint		100	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
391	WW		the Navigator Company	Navigator PrePrint		160	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
392	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
393	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
394	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
395	WW		the Navigator Company	Pioneer		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
396	WW		the Navigator Company	Soporset Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
397	WW		the Navigator Company	Soporset Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
398	WW		the Navigator Company	Soporset Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
399	WW		the Navigator Company	Soporset Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
400	WW		the Navigator Company	Soporset Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
401	WW		the Navigator Company	Soporset Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
402	North America		the Navigator Company	Soporset Opaque Smooth	50T	75	Plain	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
403	North America		the Navigator Company	Soporset Opaque Smooth	80T	118	Plain	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
404	North America		the Navigator Company	Soporset Opaque Smooth	80T	118	Plain	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
405	North America		the Navigator Company	Soporset Opaque Smooth	63C	170	Plain	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Color	No
406	North America		the Navigator Company	Soporset Opaque Smooth	63C	170	Plain	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Color	No
407	WW		the Navigator Company	Soporset Premium Offset		60	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
408	WW		the Navigator Company	Soporset Premium Offset		80	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
409	WW		the Navigator Company	Soporset Premium Offset		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
410	Europe		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
411	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
412	WW		the Navigator Company	Soporset Premium Offset		120	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	320 mm x 430 mm	Optimized for Speed	No
413	WW		the Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
414	Europe		the Navigator Company	Soporset Premium Offset		160	Plain	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
415	WW		the Navigator Company	Soporset PrePrint		100	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
416	WW		the Navigator Company	Soporset PrePrint		160	Plain	not specified	Untreated Uncoated	0	SRA3	Optimized for Speed	No
417	Europe	NEW	Torras	Security Paper		78	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
418	Europe		Torras	SelfCopy		65	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
419	Europe		UPM	Canon Top Colour Digital		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
420	Europe		UPM	Digi Fine Jet		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
421	Europe		UPM	Digi Fine Jet		90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
422	Europe	NEW	UPM	Digi Finesse Premium Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
423	Europe		UPM	Digi Finesse Premium Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
424	Europe		UPM	Digi Finesse Premium Silk Text		150	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
425	Europe		UPM	Fine		80	Plain	not specified	Untreated Uncoated		A4	Optimized for Speed	No
426	Europe		UPM	Fine SC		80	Plain	super calandared	Untreated Uncoated		A4	Optimized for Speed	No
427	Europe		UPM	Fine SC		90	Plain	super calandared	Untreated Uncoated		A4	Optimized for Speed	No
428	WW		UPM	Igepa Maxi Offset		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
429	Europe		UPM	Inapa Bavaria Bulk (*see notes)		80	Coated	Matte	Untreated Matte Coated		225 mm x 319 mm	Optimized for Color	Yes
430	Europe	NEW	UPM	MaxiOffset		170	Plain	not specified	Untreated Uncoated	0	SRA3+	Optimized for Speed	No
431	Europe		UPM	MaxiOffset NaturOffset		80	Plain	not specified	Inkjet Treated Uncoated	0	320mm x 430mm	Optimized for Speed	No
432	Europe		UPM	Office Copy		80	Plain	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
433	Europe		UPM	Office Presentation		80	Plain	not specified	Untreated Uncoated		A4	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
434	Europe		UPM	PrePersonal Sheets		80	Plain	not specified	Untreated Uncoated		A4	Optimized for Speed	No
435	Europe		UPM	PrePersonal Sheets		90	Plain	not specified	Untreated Uncoated		A4	Optimized for Speed	No
436	Europe		UPM	PrePrint		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
437	Europe		UPM	Sol Plus		80	Coated	Matte	Untreated Matte Coated	0	225mm x 319mm	Optimized for Color	Yes
438	North America	NEW	Veritiv	Econosource Multipurpose PN U50220	20B	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
439	North America		Veritiv	Endurance Digital Silk	100T	148	Coated	Silk	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
441	North America		Veritiv	Endurance Silk PN ED8T52RW	100T	148	Coated	Silk	Untreated Matte Coated	0	13 x 19	Optimized for Color	Yes
442	North America		Veritiv	Starbrite Opaque Select Smooth White	40T	60	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
443	North America		Verso	Blazer Digital Satin Text	80T	118	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
444	North America		Verso	Blazer Digital Satin Text	100T	148	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
445	North America		Verso	Blazer PN 308176	70T	105	Coated	Satin	Untreated Matte Coated	0	12 x 18	Optimized for Color	Yes
446	North America		Xerox	3R12420 2-Part Straight/Reverse (W-C) Premium Digital		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
447	North America		Xerox	3R12425 3-Part Straight (W-C-P) Premium Digital		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
448	North America		Xerox	3R12430 4-Part Straight (W-C-P-GR) Premium Digital		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
449	North America		Xerox	3R12850 2-Part Reverse/Straight (C-W) Multipurpose		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
450	North America		Xerox	3R12855 3-Part Straight (W-C-P) Multipurpose		80	Carbonless	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No



	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
451	North America		Xerox	Bold PN 3R11540	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
452	North America		Xerox	Bold PN 3R11542	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
453	North America		Xerox	Bold PN 3R11543	24B	90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
454	North America		Xerox	Bold PN 3R11760	28B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
455	North America		Xerox	Bold PN 3R11762	28B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
456	North America		Xerox	Bold PN 3R11763	28B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
457	North America		Xerox	Bold PN 3R11764	80T	120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
458	North America		Xerox	Bold PN 3R11765	80T	120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
459	North America		Xerox	Bold PN 3R11766	80T	120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	12 x 18	Optimized for Speed	No
460	North America		Xerox	Bold PN 3R11767	60C	163	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
461	North America		Xerox	Bold PN 3R11768	60C	163	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
462	North America		Xerox	Bold PN 3R11770	80C	216	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
463	North America		Xerox	Bold PN 3R11771	80C	216	Plain	Smooth	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
464	North America		Xerox	Bold PN 3R11772	80C	216	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
465	North America		Xerox	Bold PN 3R11774	100C	270	Plain	Smooth	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
466	North America		Xerox	Bold PN 3R11775	100C	270	Plain	Smooth	Untreated Uncoated	0	17 x 11	Optimized for Speed	No
467	North America		Xerox	Bold PN 3R11776	100C	270	Plain	Smooth	Untreated Uncoated	0	12 x 18	Optimized for Speed	No
468	North America		Xerox	Bold PN 3R20150	28B	105	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No



	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
469	North America		Xerox	Bold with ColorLok 30% Recycled	28B	105	Inkjet Treated	not specified	Inkjet Treated Uncoated	30	8.5 x 11	Optimized for Color	No
470	Europe		Xerox	Buisness PN 00391895		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No
471	Europe		Xerox	ColorPrint		100	Plain	not specified	Untreated Uncoated	0	A3	Optimized for Speed	No
472	Europe		Xerox	ColorPrint PN 003R95254		90	Plain	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
473	Europe		Xerox	ColorPrint PN 003R96602		120	Plain	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
474	Europe		Xerox	ColoTech PN 003R99032		280	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
475	Europe		Xerox	ColoTech+ PN 003R95844		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
476	Europe		Xerox	ColoTech+ PN 003R98837		90	Inkjet Treated	Smooth	Untreated Uncoated	0	A4	Optimized for Color	No
477	Europe		Xerox	ColoTech+ PN 003R98839		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
478	Europe		Xerox	ColoTech+ PN 003R98845		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
479	Europe		Xerox	ColoTech+ PN 003R98847		120	Inkjet Treated	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
480	Europe		Xerox	ColoTech+ PN 003R98849		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
481	Europe		Xerox	ColoTech+ PN 003R98852		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
482	Europe		Xerox	ColoTech+ PN 003R98975		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
483	Europe		Xerox	ColoTech+ PN 003R99000		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
484	Europe		Xerox	ColoTech+ PN 003R99001		90	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
485	Europe		Xerox	ColoTech+ PN 003R99006		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
486	Europe		Xerox	ColoTech+ PN 003R99007		100	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
487	Europe		Xerox	ColoTech+ PN 003R99011		120	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
488	Europe		Xerox	ColoTech+ PN 003R99014		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Speed	No
489	Europe		Xerox	ColoTech+ PN 003R99015		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
490	Europe		Xerox	ColoTech+ PN 003R99016		160	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
491	Europe		Xerox	ColoTech+ PN 003R99019		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A3	Optimized for Speed	No
492	Europe		Xerox	ColoTech+ PN 003R99020		200	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Speed	No
493	Europe		Xerox	ColoTech+ PN 003R99026		250	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
494	Europe		Xerox	ColoTech+ PN 003R99032 (*see notes)		280	Inkjet Treated	Smooth	Inkjet Treated Uncoated	0	SRA3	Optimized for Color	No
495	Europe		Xerox	Colour Impressions PN 003R97663		90	Plain	Smooth	Untreated Uncoated	0	A4	Optimized for Speed	No
496	Europe	NEW	Xerox	Colour Impressions Silk		90	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
497	Europe		Xerox	Colour Impressions Silk		115	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
498	Europe		Xerox	Colour Impressions Silk		130	Coated	Silk	Untreated Matte Coated	0	SRA3	Optimized for Color	Yes
499	WW	NEW	Xerox	Digital Paper 003R70024		75	Plain	Silk	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
500	Europe		Xerox	Digital Paper 103R00924		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Speed	No

	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
501	Europe		Xerox	Premier PN 003R91720		80	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
502	Europe	NEW	Xerox	Premier PN 003R91854		90	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
503	North America		Xerox	Premier PN 003R94787	20B	75	Plain	not specified	Untreated Uncoated	0	A4	Optimized for Color	No
504	Europe	NEW	Xerox	Premium Digital Carbonless Green CF PN 003R99079		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
505	Europe	NEW	Xerox	Premium Digital Carbonless White CB PN 003R99069		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
506	Europe	NEW	Xerox	Premium Digital Carbonless Yellow CFB PN 003R99071		80	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	A4	Optimized for Color	No
507	WW	NEW	Xerox	Premium PN 003R006829	50T	75	Plain	not specified	Untreated Uncoated	0	8.5 x 11	Optimized for Speed	No
508	WW	NEW	Xerox	Premium PN 003R03761	50T	75	Plain	not specified	Untreated Uncoated	0	11 x 17	Optimized for Speed	No
509	North America		Xerox	Vitality 003R02047	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
510	North America		Xerox	Vitality 3R02051	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 14	Optimized for Speed	No
511	North America		Xerox	Vitality 3R02531	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	8.5 x 11	Optimized for Speed	No
512	North America		Xerox	Vitality 3R03761	20B	75	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No
513	North America		Xerox	Vitality 3R03871	24B	90	Inkjet Treated	not specified	Inkjet Treated Uncoated	0	11 x 17	Optimized for Speed	No